WEST Search History

DATE: Wednesday, February 12, 2003

Set Name side by side	Query	Hit Count S	et Name result set
DB = USPT, PG	SPB,JPAB,EPAB,DWPI; THES=ASSIGNEE; PLUR=YES;		
OP=ADJ			
L8	13 with anaesthetic	96	L8
. L7	13 with L4	96	L7
L6	13 same L.4	130	L6
L5	11 same L4	5	L5
L4	anaesthetic or anesthetic	23762	L4
L3	adenosine	21007	L3
L2	adenosine with receptor with agonist	724	L2
L1	potassium with channel with opener	594	L1 .

END OF SEARCH HISTORY

Home Help Subjects Feedback Random Search OMD
anaesthetic
1. < neurology > Pertaining to, characterised by or producing anaesthesia.
2. < pharmacology > A drug or agent that is used to produce partial loss of feeling or sensation of pain.
(14 May 1997)
Previous: anaesthesia record, anaesthesia recovery period, anaesthesiologist, anaesthesiology Next: anaesthetic circuit, anaesthetic depth, anaesthetic, epidural

Published at the Dept. of Medical Oncology. <u>University of Newcastle upon Tyne</u>
& <u>Copyright 1997-2002</u>. The CancerWEB Project. All Rights Reserved.

Home Help Subjects Feedback Random	Search OMD
A drug that causes unconsciousness or a loss of general sensation. (09 Oct 1997)	
Previous: anerythroplasia, anerythroplastic, anerythroregenerative, anesthesia, anesthesia, anestrum, anestrum, anestrus, anethol, anethole trithione, anethopath	ology

Published at the Dept. of Medical Oncology. <u>University of Newcastle upon Tyne</u>

²⁵ <u>Copyright 1997-2002</u> - The CancerWEB Project. All Rights Reserved.